


# HEALTH CARE CATALOG



[www.DetectoScale.com](http://www.DetectoScale.com)

Stainless Steel Physician Scales	4
Mechanical Physician Scales	5
Digital Physician & Certifier Scales	6
Digital Bariatric Scales	7
758C Digital Weight Indicator	8
Health and Fitness Scales	10
Wheelchair Scales	12
Chair Scales	14
Patient Lift Scales	16
In-Bed Scales	17
Digital Baby Scales	18
Mechanical Baby Scales	20
Mechanical Dietary Scales	22
Digital Dietary Scales	23
General Purpose Scales	24
Specialty Scales	25
Veterinary Scales	26
EU-Only Scales	27
Waste Receptacles	28
Step-On Cans	29
Universal Glove Box Holders	30
Index	31



**CORPORATE HEADQUARTER CONTACTS:**

**Address:** 203 East Daugherty Street, Webb City, MO 64870 USA

**Fax:** (417) 673-5001

**Web Site:** www.DetectoScale.com

**Customer Service** 8 am - 5 pm CST Mon. - Fri.  
(800) 641-2008 or (417) 673-4631  
detecto@cardet.com

**Technical Support** 8 am - 5 pm CST Mon. - Fri.  
(417) 673-5007  
service@cardet.com

**Parts Department** 8 am - 5:30 pm CST Mon. - Fri.  
(800) 641-2045  
parts@cardet.com

**Quality Assurance** 8 am - 5 pm CST Mon. - Fri.  
(417) 673-4631  
qa@cardet.com

**INTERNATIONAL CONTACTS:**

**European Warehouse**  
Unit 17/18 Mercers Road  
Chapel Pond Hill  
Bury St. Edmunds, Suffolk, IP32 7HX  
Phone: 44-1284-703117  
Fax: 44-1284-703559  
E-mail: sales@detectoscale.co.uk

**Canadian Warehouse**  
1815 Ironstone Manor  
Unit 14A  
Pickering, Ontario L1W 3W9  
Phone: (905) 839-6239  
Fax: (905) 839-6522  
E-mail: canada@cardet.com



This equipment requires some assembly and setup that is not included in purchase price. Contact your local DETECTO scale technician for this service.



These scales are manufactured in compliance with recommendations set forth in Handbook 44, issued by the National Institute of Standards and Technology and have been issued a Certificate of Conformance under the National Type Evaluation Program.



Indicates that the device has been evaluated and found to conform with the requirements for OIML R76 Class III (or Class IIII if specified). Model numbers for EU-Only Scales and their capacities and increments will differ from their general referenced product's information and may require the 758CSV indicator for conformity.

# DETECTO

## IT'S AN EXCITING TIME TO BE WORKING WITH DETECTO PRODUCTS.

Detecto is *changing the face of digital weighing* with the introduction of the enhanced **758C Digital Weight Indicator**. This versatile, full-featured display comes standard on Detecto medical scales and now features serial connectivity which allows output to a printer for a paper copy of weight, Body Mass Index (BMI), time, date, and height, as well as output to a PC for efficient Electronic Medical Record keeping. The ability to print or save weight data is crucial in clinics, doctors' offices, long-term care facilities, and other medical institutions, and is now possible with Detecto's 758C indicator. Long-time customers will also notice new black ABS plastic end caps have been added to improve the overall appearance of the display. Turn to pages 8 and 9 to find out more about the powerful way in which the 758C makes Detecto's line of medical scales much more efficient.

Now, for the first time, you can combine the classic Detecto physician scale with the time-honored beauty and protection of stainless steel. Detecto has introduced a line of **Stainless Steel Physician Scales** available in eye-level mechanical beam and state-of-the-art EMR-ready waist-high digital models (please see page 4).

Detecto has also introduced the new **Model 6880 Rolling Chair Scale** featuring zero turning radius ability and 440 lb/200 kg capacity (page 14), two different lines of **Universal Glove Box Holders** (page 30), the **Wall-mount Hanging and Standard Stainless Steel Waste Receptacles** (page 28), the **Model 6745 Digital Baby Scale** (page 18), the **PS-7 and PS-11 Digital Portion Scales** (page 23), and the **MD250PKG Chiropractic Scale Package** for bilateral weighing.

As we mentioned, it's an exciting time to be working with Detecto with all of these new products available. Please browse through this catalog and when you find what you need, give us a call or e-mail!



Detecto CEO W.H. Perry

Detecto President  
David Perry



# PHYSICIAN SCALES



**INCREASED TO  
400 LB /  
180 KG  
CAPACITY**

**Detecto Offers You  
More Weighing Ability  
For Your Money**

## Stainless Steel MECHANICAL Eye-Level Health Care Scales

Enjoy the classic elegance of beautiful stainless steel in your Detecto mechanical weighbeam scale. A platform cover that lifts off easily combined with the protective stainless steel casing makes cleanup a breeze. Water damage from mopping and high humidity areas around swimming pools is a thing of the past with Detecto's rust-resistant stainless steel health care scales. The attractive stainless steel fits well in all modern decor.



MODEL	CAPACITY		HEIGHT ROD 30 - 78 in 76 - 198 cm	SHIPPING WEIGHT	HIBCC UPN
	400 lb x 4 oz	180 kg x 100 g			
439S	•	•	•	38 lb/17.2 kg	+H925439S0W
2391S	•	•	•	37 lb/16.7 kg	+H9252391S0V
437S	•	•	•	35 lb/15.8 kg	+H925437S0U
2371S	•	•	•	35 lb/15.8 kg	+H9252371S0T
339S	•	•	•	38 lb/17.2 kg	+H925339S0V
337S	•	•	•	35 lb/15.8 kg	+H925337S0T

**Platform Size:** 10.5"W x 14.5"D/27 cm W x 37 cm D  
**Scale Height:** 59"/150 cm



## Stainless Steel DIGITAL Waist-High Health Care Scales

With an ultra-modern design, Detecto's stainless steel digital health care scales offer an extra-tough finish which stands up to water damage from mopping around the base and high-humidity areas such as locker rooms. Enjoy the power of digital weighing with the convenience of "at-a-glance" weight readouts.

MODEL	CAPACITY		HEIGHT ROD 30 - 78 in 76 - 198 cm	SHIPPING WEIGHT	HIBCC UPN
	400 lb x 0.2 lb / 180 kg x 0.1 kg				
8430S	•	•	•	34 lb/15.4 kg	+H9258430S0V
8437S	•	•	•	31 lb/14 kg	+H9258437S0



**Platform Size:** 10.5"W x 14.5"D/27 cm W x 37 cm D  
**Scale Height:** 37.5"/95 cm

**758C** Please see pages 8 and 9 for additional weight display features.



## Eye-Level Physician Scales

MODEL	CAPACITY		HEIGHT ROD 30 - 78 in 76 - 198 cm	WHEELS	HANDPOST	SHIPPING WEIGHT	HIBCC UPN
	400 lb x 4 oz	180 kg x 100 g					
439	•		•			38 lb/17.2 kg	+H92543904
2391		•	•			37 lb/16.7 kg	+H925239103
437	•					35 lb/15.8 kg	+H92543702
2371		•				35 lb/15.8 kg	+H925237101
438	•		•	•		39 lb/17.6 kg	+H92543803
2381		•	•	•		39 lb/17.6 kg	+H925238102
448	•		•	•	•	43 lb/19.5 kg	+H92544804
449	•		•		•	43 lb/19.5 kg	+H92544905
2491		•	•		•	43 lb/19.5 kg	+H925249104
339	•	•	•			35 lb/15.8 kg	+H92533903
337	•	•				35 lb/15.8 kg	+H92533701
338	•	•	•	•		39 lb/17.6 kg	+H92533802
349	•	•	•		•	43 lb/19.5 kg	+H92534904

Platform Size: 10.5"W x 14.5"D/27 cm W x 37 cm D  
Scale Height: 59"/150 cm



Model 437

Choose From  
**13 MODELS**  
With A  
**VARIETY OF FEATURES**

**HEIGHT ROD**  
Reads in both inches and centimeters.

**WEIGH BEAM**  
Dual reading, die-cast beam.

**HANDPOST**  
An important aid for the elderly or weak individual.

**WHEELS**  
For easy transport.

Model 448

**PLATFORM COVER**  
Easily removed for cleaning.



Model  
3PHTROD-WM  
Wall Mount  
Height Rod

ACCESSORY	MODEL	DESCRIPTION	HIBCC UPN
<b>Height Rods</b>	3PHTROD-1	Physician scales only.	+H9253PHTROD10+
	4PHTROD-2	For all waist-high mechanical scales except model 080.	+H9254PHTROD200
	3PHTROD-3	For all waist-high digital scales except models 8430 and 8431.	+H9253PHTROD300
	4PHTROD-3	For all waist-high digital scales except models 6029 and 6029KG.	+H9252PHTROD301
	3PHTROD-WM	Wall-mount height rod.	+H9253PHTRODWM08
<b>Wheels</b>	3PWHL	Wheels for scale portability. For use with all eye-level physician scales and the 8430 and 8437 waist-high scales.	+H9253PWHL00
<b>Handpost</b>	3PHNDPST	For replacement use on physician scales only.	+H9253PHNDNPSTOM



Model  
6437

## Eye-Level Digital Physician Scales

This scale features eye-level "at-a-glance" convenience of a battery-powered 0.5"/12.7 mm high-contrast LCD display. With the push of a button, readings appear in pounds OR kilograms and the weight display also calculates Body Mass Index. The platform cover is easily removed for cleaning. Handpost and height rod combinations are also available.

MODEL	CAPACITY	DESCRIPTION	HIBCC UPN
6437	400 lb x 0.2 lb / 180 kg x 0.1 kg	No Height Rod	+H925643708
6439	Same	With Height Rod	+H92564390A
6449	Same	With Handpost and Height Rod	+H92564490B
728R121		AC Adapter	+H925728R1210-

**Platform Size:** 10.5"W x 14.5"D/27 cm W x 37 cm D

**Scale Height:** 59"/150 cm

**Model 6439 Height Rod:** 30" - 78" and 76 cm - 198 cm

**Shipping Weight:** 6437 - 35 lb/16 kg 6439 - 38 lb/17 kg

**758C** Please see pages 8 and 9 for additional weight display features.



Model  
6439



Optional black carrying case with handle protects the scale for easy transport.

## Low-Profile Digital Physician Floor Scale

Lightweight and portable, making it perfect for mobile clinics, home care nurses, or wherever a portable scale with Body Mass Index is needed. The DR400-758C is battery powered and features a slip-resistant, textured mat to ensure patient safety when getting on and off the scale.

MODEL	CAPACITY	HIBCC UPN
DR400-758C	400 lb x 0.2 lb / 180 kg x 0.1 kg	+H925DR400758C0L
DR400C-CASE	Carrying Case	+H925DR400CCASE0M
728R121	AC Adapter	+H925728R1210-

**Platform Size:** 2.25"H x 12"W x 12"D/6 cm H 31 cm W x 31 cm D

**Shipping Weight:** 13 lb/6 kg

**758C** Please see pages 8 and 9 for additional weight display features.



Cert. No.  
91-162

## Certifier Scale

This special purpose eye-level beam scale with dual wheels and non-slip gray mat is "Legal for Trade," which makes it the perfect choice for those who require a scale that is certified by weights and measures officials. A must for weight loss clinics and schools and universities with wrestling teams!

MODEL	CAPACITY	DESCRIPTION	HIBCC UPN
442	350 lb x 4 oz / 160 kg x 100 kg	Certifier scale with high accuracy	+H9254420+
<i>Optional height rod and handpost models are available</i>			

**Platform Size:** 13.75"W x 18.5"D/35 cm W x 47 cm D

**Scale Height:** 59"/150 cm

**Shipping Weight:** 68 lb/31 kg



## Flip Seat Chair Scale

The seat flips up to allow weighing in a standing or sitting position, depending upon the comfort of the patient.



The portable 6876 with concealed wheels and battery power features flip-up armrests which double as handgrips when used in a standing position. The modern design is streamlined and narrow enough to fit easily through most doorways.

MODEL	CAPACITY	HIBCC UPN
6876	600 lb x 0.2 lb / 270 kg x 0.1 kg	+H92568760F
728R121	AC Adapter	+H925728R1210-

**Platform Size:** 24"W x 24"D/61 cm x 61 cm  
**Shipping Weight:** 146 lb/66 kg



**758C** Please see pages 8 and 9 for additional weight display features.

## Bariatric Flip Seat Scale



Features a flip-up seat.



The 6868's unique design features a flip-up seat for weighing in a standing or seated position, foam hand grips, and extra-wide, non-skid platform which add comfort and assurance to the weighing of obese and unsteady patients.

MODEL	CAPACITY	HIBCC UPN
6868	800 lb x 0.2 lb / 360 kg x 0.1 kg	+H92568680G
728R121	AC Adapter	+H925728R1210-

**Platform Size:** 32"W x 34"D/81 cm W x 86 cm D  
**Shipping Weight:** 147 lb/67 kg



**758C** Please see pages 8 and 9 for additional weight display features.



## Waist-High Stand-On Scale

The 6856 is engineered specifically for weighing obese and unsteady patients and features a low-profile platform with non-skid surface.

The 6856 features a larger platform and higher capacity than the 6855. Its balanced design is easy to tip back and transport on its 3" diameter, heavy-duty rubber wheels. The stainless steel handrails feature padded grips for patient assurance.

MODEL	CAPACITY	HIBCC UPN
6856	800 lb x 0.2 lb / 360 kg x 0.1 kg	+H92568560D
728R121	AC Adapter	+H925728R1210-

**Platform Size:** 24"W x 24"D/61 cm x 61 cm  
**Shipping Weight:** 85 lb/39 kg



**758C** Please see pages 8 and 9 for additional weight display features.

## Waist-High Stand-On Scale



450 pound patient being weighed.



The 6855 features a balanced design that is easy to tip back and transport on its hard, heavy-duty rubber wheels. It features a slightly smaller platform and capacity than the 6856.

MODEL	CAPACITY	HIBCC UPN
6855	600 lb x 0.2 lb / 270 kg x 0.1 kg	+H92568550C
3PHTROD-WM	Height Rod	+H9253PHTRODWM08
728R121	AC Adapter	+H925728R1210-

**Platform Size:** 18"W x 14"D/46 cm x 26 cm  
**Shipping Weight:** 70 lb/32 kg



**758C** Please see pages 8 and 9 for additional weight display features.



# 758C DIGITAL WEIGHT INDICATOR



## CHANGING THE FACE OF DIGITAL WEIGHING

Detecto's enhanced model 758C digital weight indicator offers the best solution to your weighing needs: a precision, full-featured weight indicator and an accurate Body Mass Index (BMI) calculator. Pushbutton and keypad tare, automatic display lock, and selectable units make the 758C the perfect choice for weight loss clinics, long-term care facilities or anywhere accurate weight is required. As you will see from browsing through this catalog, the 758C now comes standard on Detecto digital health care scales.

## ALL NEW LOOK.... ALL NEW CAPABILITIES...

### BODY MASS INDEX

The 758C quickly calculates BMI by simply entering the patient's height while weighing.

#### BODY MASS INDEX

Body Mass Index (BMI) calculations have been shown to be an accurate estimate of health risk when used as part of a comprehensive health assessment.



#### TWO TARE MODES

- Push-button tare subtracts the currently displayed gross weight with a single keystroke.
- Keypad tare lets you enter a known weight (such as that of a wheelchair) for net weight.

#### PATIENT ID

Easily enter up to an 11-digit patient ID and print it along with the weight, time and date from a label printer or send the data to a PC.



The 758C is **battery powered** for use with portable scales, so you can take the scale to the patient. Optional AC adapter available.

#### SIMPLE TO USE

For weighing only use, the yellow "quick keys" (pictured to the right) provide fast, easy operation, even by first time users. The full complement of displayed information makes it easy to read the data at a glance and the display hold function can be set for manual operation or automatic activation on stable weight. With all of the incredibly diverse functions the 758C is capable of performing, it can also be used quite simply for basic weighing.



#### 758C SPECIFICATIONS

<b>Display:</b>	0.5" / 12.7 mm high, liquid crystal - reflective type
<b>Enclosure:</b>	Painted steel
<b>Keypad:</b>	19 key, color-coded, sealed membrane
<b>BMI Range:</b>	15.0 - 60.0
<b>Height Range:</b>	3 to 7 ft / 90 to 215 cm
<b>Sensitivity:</b>	1.2 $\mu$ V/d
<b>Resolution:</b>	5,000 divisions, maximum
<b>Power:</b>	6 "C" size Alkaline or Nickel-Cadmium cells (not included) or optional AC adapter.
<b>Temp. Range:</b>	+14 to +104 °F / -10 to +40 °C



## SERIAL CONNECTIVITY PROVIDES:

**OUTPUT TO PRINTER** print weight, BMI, time, date, and height

**SEND DATA TO PC** excellent for efficient electronic medical record keeping



**Model P220 Thermal Printer** (above)



**Model P185 Ticket Printer** (right) For printing weight data from the 758C indicator.

The enhanced 758C is a full-featured, precision, digital weight indicator that provides all you need for clinical weighing regardless of the application. From stand-on scales to wheelchair scales, baby scales to in-bed scales, the 758C is the new standard for health care scale weight indicators. Serial connectivity provides output to a PC or printer for efficient record keeping, useful for patient records in physicians' offices, weight loss clinics, or athletics.



The new serial port allows output of the 758C's data directly to a printer by simply pressing the PRINT/ENTER key. The paper copy can be included in a patient's files.



*The 758C is now standard on Detecto's complete line of digital health care scales.*



### WIRED AND WIRELESS CONNECTIVITY SOLUTIONS


With the new 758C you can transmit ASCII weight data to a printer, PC or Local Area Network via a serial cable connection, optional TCP/IP module, or by optional wireless transmission, as illustrated here.

Whether you require a paper copy of weight data for a patient's file or data to be transmitted directly into a PC-based Electronic Medical Recording (EMR) software program, Detecto can assist you and consult with your PC solutions personnel.

### YOUR WEIGHT IN WINDOWS®

Easily put *YOUR WEIGHT IN WINDOWS®* with Detecto's WinDDE 2.0 Server. Communicate with up to 20 weight indicators connected to a computer via standard serial port or optional Ethernet (using TCP/IP). WinDDE allows the weight and status of the indicators to be transferred directly into databases and spreadsheets, such as Microsoft Access® and Excel®.

**WinDDE**



MODEL	DESCRIPTION	HIBCC UPN
WinDDE	Weight capture to PC software	+H925WINDDE0F

## Waist-High Digital Physician Scales

Contemporary styling and light yet rugged construction make Detecto health and fitness scales perfect for health clubs, schools, sports teams or homes. The 8437 and 8430 feature waist-high "at-a-glance" readouts from their 0.5"/12.7 mm high-contrast LCD display. The platform cover is easily removed for cleaning. The heavy-duty understructure of this digital waist-high scale incorporates a fabricated lever system that is enhanced by precision-ground, pressed-in knife edges which eliminate friction.



Model 8437

MODEL	CAPACITY	DESCRIPTION	HIBCC UPN
8437	400 lb x 0.2 lb / 180 kg x 0.1 kg	No Height Rod	+H92584370A
8430	Same	With Height Rod	+H925843003
728R121		AC Adapter	+H925728R1210-

**Platform Size:** 10.5"W x 14.5"D/27 cm W x 37 cm D

**Scale Height:** 37.5"/95 cm

**Model 8430 Height Rod:** 30" - 78" and 76 cm - 198 cm

**Shipping Weight:** 8437 - 31 lb/14 kg 8430 - 34 lb/15.4 kg

*Metric only models available upon request, please consult factory.*

**758C** Please see pages 8 and 9 for additional weight display features.



Model 8430

## Personal Floor Scales

The D315's is a result of a design using an innovative precision mechanism which has fewer moving parts and points of contact. This scale is consistently accurate and resistant to wear and tear. Heavy duty construction and a white back enamel finish support the scale's many features: Pro Helix™ accuracy and a large 7.75"/20 cm diameter dial with a 330 lb capacity and metric equivalent. Five different colorful indicators allow users to mark their weight progress. The slip-proof black vinyl mat ensures comfort and user safety getting on and off the scale.



MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
D315	330 lb x 1 lb / 150 kg x 500 g	10 lb / 5 kg	+H925D3150A
D315K	150 kg x 500 g	Same	+H925D315KG03

**Dimensions:** 13"W x 18.5" L x 4.75" H/33 cm W x 47 cm L x 12 cm H

## Personal Floor Scales

A low profile design, heavy duty construction and a non-skid vinyl mat are just a few features of the D1130 and D1130K scales - proven performers for budget-minded customers. They feature a white, baked-enamel finish and personal colorful indicators to mark one person's or a whole family's weights. The large diameter dial allows for easy readability even for tall people. Designed for personal use, fitness centers, and health care facilities.



Model D1130

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
D1130	300 lb x 1 lb	7 lb / 3 kg	+H925D113006
D1130K	140 kg x 500 g	Same	+H925D1130KG0%

**Dimensions:** 11.5"W x 17.25" L x 3" H/29 cm W x 44 cm L x 8 cm H



Model D1130K

## Digital Fitness Scales



Model 6027

- 758C Digital Weight Indicator:**
- 0.5"/12.7 mm High-contrast LCD
  - Body Mass Index Calculation
  - Pushbutton Tare and Keypad Tare



MODEL	CAPACITY	DESCRIPTION	HIBCC UPN
6027	400 lb x 0.5 lb / 180 kg x 0.2 kg	No Height Rod	+H925602703
6029	Same	With Height Rod	+H925602905
6027KG	180 kg x 0.2 kg	No Height Rod	+H9256027KG0\$
6029KG	Same	With Height Rod	+H9256029K0+
728R121		AC Adapter	+H925728R1210-

**Platform Size:** 11"W x 13" D/28 cm W x 33 cm D

**Scale Height:** 38"/97 cm

**Model 6029 and 6029KG Height Rod:** 30" - 78" and 76 cm - 198 cm

**Shipping Weight:** 6027(KG) - 25 lb/11 kg 6029(KG) - 28 lb/13 kg

**758C** Please see pages 8 and 9 for additional weight display features.



Model 6029

## Mechanical Fitness Scales



- 080 Dial:**
- Large 7.5"/19 cm Diameter Reading Line
  - Single Revolution
  - Zero Adjust Knob on Back of Dial



MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
080	300 lb x 1 lb	28 lb / 13 kg	+H9250800\$
080KG	150 kg x 0.5 kg	28 lb / 13 kg	+H925080KGOW

**Platform Size:** 11"W x 13" D/28 cm W x 33 cm D

**Scale Height:** 36"/91 cm



Model 080

## Mechanical Fitness Scales

**Easy-To-Operate, Smooth-Gliding Beam**



MODEL	CAPACITY	DESCRIPTION	HIBCC UPN
057	340 lb x 0.5 lb	No Height Rod	+H92505700
0571	150 kg x 200 g	No Height Rod	+H925057101
059	340 lb x 0.5 lb	With Height Rod	+H92505902
0591	150 kg x 200 g	With Height Rod	+H925059103

**Platform Size:** 11"W x 13" D/28 cm W x 33 cm D

**Scale Height:** 38"/97 cm

**Model 059 and 0591 Height Rod:** 30" - 78" and 76 cm - 198 cm

**Shipping Weight:** 057 and 0571 - 28 lb/13 kg 059 and 0591 - 32 lb/15 kg



Model 057



Model 059



# WHEELCHAIR SCALES



## Mechanical Stationary Wheelchair Scales

This heavy-duty stationary wheelchair scale features a detachable ramp designed for a smooth approach and exit. The platform is designed to accommodate all sizes of wheelchairs. The 495 features a padded handrail for ambulatory patients and a non-skid mat. It features Detecto's famous die-cast, dual-sided, eye-level weighbeam graduated in 4 ounce or 100 gram increments. The weigh beam is located at a height above the platform where the patient or attendant can perform the weighing operation. Customers specializing in the care of non-ambulatory patients provided information which was transferred into features and benefits of these scales, evident the first time you use the scale!

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
495	400 lb x 4 oz /	194 lb / 88 kg	+H92549506
4951	180 kg x 100 g	Same	+H925495107

**Platform Size:** 30"W x 26"D/76 cm W x 66 cm D




## Digital Stationary Wheelchair Scale

With the model 6495 heavy-duty digital wheelchair scale, you get speed and increased accuracy that only electronic weighing can provide. Weigh in pounds or kilograms at the press of a button. The weight display is mounted on a tilt mount which permits the indicator to be angled for easy viewing. A keypad for entry of known weights of empty wheelchairs is also provided, thus giving the exact weight of the patient accurately and instantly in large 0.5"/13 mm digits. The platform is designed to accommodate all sizes of wheelchairs and the 6495 also features a detachable ramp.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
6495	400 lb x 0.2 lb / 180 kg x 0.1 kg	177 lb / 80 kg	+H92564950C
728R121	AC adapter	1 lb / 453 g	+H925728R1210-

**Platform Size:** 30"W x 26"D/76 cm W x 66 cm D

**758C** Please see pages 8 and 9 for additional weight display features.



## Mechanical Stationary Wheelchair Scales

Built for use with any standard-size wheelchair, these scales offer the utmost in comfort for wheelchair-bound patients, convenience for nursing personnel and accuracy for important medical records. Detecto's sturdy design incorporates a standard eye-level physician scale with a detachable ramp, allowing for easy movement on and off the platform. The scale's beam is easily read from both sides, facilitating a faster weighing operation. The ramp kit (model 3PRAMP) is detachable, allowing for the scale's use as a stand-alone physician scale, or a kit may be attached to existing Detecto physician scales.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
485	350 lb x 4 oz	66 lb / 30 kg	+H92548505
4851	160 kg x 100 g	Same	+H925485106
3PRAMP	Wheelchair ramp	31 lb / 14 kg	+H9253PRAMP0E

**Platform Size:** 27"W x 30"D/69 cm W x 76 cm D

Folds up and latches for easy transport in four directions.



## Folding Portable Wheelchair Scale

This sturdy, but lightweight, scale can be used with wheelchairs, straight-legged chairs or as a stand-on scale, and its sloped ramps offer versatility by allowing loading from either side. The 6550's vertical fold-up feature, battery power, and heavy-duty wheels contribute to its ease of mobility and lack of needed storage space. With the 6550, tare weight may be either preset or keyed in directly and the patient's weight is automatically displayed.

MODEL	CAPACITY	SHIP WEIGHT	HIBCC UPN
6550	800 lb x 0.2 lb / 360 kg x 0.1 kg	94 lb / 43 kg	+H925655004
6550WHLSTP	Wheelstop for dialysis chair		+H9256550WHLSTPOR
728R121	AC adapter	1 lb / 453 g	+H925728R1210-

**Platform Size:** 30" W x 32" D / 76 cm W x 81 cm D (flat portion)

**758C** Please see pages 8 and 9 for additional weight display features.



The perfect scale for weighing patients in manual or power wheelchairs, dialysis patients, or walk-ons. The lightweight Roll-A-Weigh features built-in wheels for easy portability.



## "Roll-A-Weigh" Wheelchair Scale

Featuring built-in handles, wheelstop, and wheels, the "Roll-A-Weigh" can be moved wherever you need it. Whether's its multiple weighing locations at a single facility or a stationary location, the "Roll-A-Weigh" gives you portability and ease of use. The "Roll-A-Weigh" features a weight display which can be mounted on the scale, or remotely on a wall or desk for convenient viewing. Overall dimensions: 32.5" W x 42.5" D x 3.5" H / 83 cm W x 108 cm D x 9 cm H.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
CR-500D	500 lb x 0.2 lb / 225 kg x 0.1 kg	113 lb / 51 kg	+H925CR500D02
CR-1000D	1,000 lb x 0.5 lb / 450 kg x 0.2 kg	Same	+H925CR1000D0+
728R121	AC adapter	1 lb / 453 g	+H925728R1210-

**Platform Size:** 30" W x 32.5" D / 76 cm W x 83 cm D

**758C** Please see pages 8 and 9 for additional weight display features.

## Geriatric/Bariatric Wheelchair Scale

The battery-operated models FHD133II and FHD144II wheelchair scales have a black, nonskid rubber platform and ramp. The large platform accomodates walk-on patients, wheelchairs, or straight-legged chairs. This large capacity scale can be mounted flush with the floor if desired (please consult factory for all pit installations). The remote weight display is suitable for desk or wall mount and comes with 15'/4.5 m of cable. A 28.5"/72 cm ramp is included.



MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
FHD-133-II	1,000 lb x 0.2 lb / 450 kg x 0.1 kg	315 lb / 143 kg	+H925FHD133110X
FHD-144-II	Same	460 lb / 209 kg	+H925FHD1441102
728R121	AC adapter	1 lb / 453 g	+H925728R1210-

**Platform Size:** 133-II - 36"/91 cm square 144-II - 48"/122 cm square

**758C** Please see pages 8 and 9 for additional weight display features.



## Mechanical Chair Scale



Developed to ensure patient safety and comfort as well as to reduce weighing time, Detecto mechanical chair scales are conveniently portable and offer easy side or front access for your frail, handicapped, or elderly patients. The arms raise easily on both models, so the patient can be conveniently assisted into and out of the chair scale. Die-cast, easy-to-read beams are readable from the front and back.

MODEL	CAPACITY	HIBCC UPN
475	400 lb x 4 oz	+H92547504
4751	400 lb x 4 oz / 180 kg x 100 g	+H925475105

**Seat Size:** 17.5" H x 17.5" W / 44 cm H x 44 cm W

**Shipping Weight:** 78 lb/35 kg

## Premier Digital Chair Scale

*Concealed wheels and flip-up footrest and arms. The display can be rotated to virtually any angle for easy viewing by the attendant.*



Ergonomics dictated this stylish, battery-powered chair scale's contemporary design. The footrests fold away to promote patient security when getting into or out of the scale.

MODEL	CAPACITY	HIBCC UPN
6875	400 lb x 0.2 lb / 180 kg x 0.1 kg	+H92564850B
728R121	AC Adapter	+H925728R1210-

**Dimensions:** 41.75" H x 29.375" W x 24" L /  
106 cm H x 75 cm W x 61 cm L

**Shipping Weight:** 70 lb/32 kg



**758C** Please see pages 8 and 9 for additional weight display features.

## Digital Chair Scale

*Detecto simplifies the task of weight checks for frail, handicapped, and elderly patients with a selection of innovatively-designed chair scales, such as the 6475.*



These digital chair scales feature waist-high LCD displays allowing weighing with accuracy to 0.2 lb or 0.1 kilogram. Battery power and oversized wheels enhance their portability.


MODEL	CAPACITY	HIBCC UPN
6475	400 lb x 0.2 lb / 180 kg x 0.1 kg	+H92564750A
6475K	180 kg x 0.1 kg	+H9256475K0U
728R121	AC Adapter	+H925728R1210-

**Seat Size:** 17.5" H x 17.5" W / 44 cm H x 44 cm W

**Shipping Weight:** 78 lb/35 kg

**758C** Please see pages 8 and 9 for additional weight display features.

## Rolling Chair Scale



Zero turning radius wheels.

This lightweight rolling chair scale features a flip-up footrest and lift-away armrests. Safety stops on the rear wheels allow for parking in one place without rolling. The 6880 features one load cell and 3" diameter oversized wheels.

MODEL	CAPACITY	HIBCC UPN
6880	440 lb x 0.2 lb / 200 kg x 0.1 kg	+H92568800A
728R121	AC Adapter	+H925728R1210-

**Seat Size:** 17.5" H x 17.5" W / 44 cm H x 44 cm W

**Shipping Weight:** 61 lb/28 kg



**758C** Please see pages 8 and 9 for additional weight display features.





**DETECTO IS  
THE LEADER  
IN  
MEDICAL  
WEIGHING**

**SINCE 1900  
THE NAME BRAND YOU CAN TRUST**

# PATIENT LIFT SCALES



Model PL475

Model PL435



REQUIRES ASSEMBLY



## Patient Lifts

Detecto Patient Lifts make lifting and weighing patients of all sizes a simple chore. The Patient Lift features a 400 lb capacity and 4.8" (1.5m) under bed clearance. The four ball bearing, double castor wheels with parking brakes along with adjustable, tip-free base legs allow easy access to wheelchairs, beds, tubs, and toilets. This unit is not designed for patient transport.

MODEL	DESCRIPTION	SHIP WEIGHT	HIBCC UPN
PL425	Patient lift only, 400 lb capacity, 4.8" (1.5m) high under bed clearance, and hydraulic lift mechanism	240 lb / 109 kg	+H925PL42502
PL435	PL425 patient lift, sling seat, yoke and suspension	249 lb / 113 kg	+H925PL43503
PL475	Complete 400 lb unit includes PL400 scale, PL425 patient lift, sling seat, yoke, and suspension. 400 lb x 0.2 lb / 180 kg x 0.1 kg capacity	252 lb / 114 kg	+H925PL47507

## Digital Patient Lift Scales

This scale determines the weight of a person suspended from a portable patient lift and runs on one nine-volt battery. It incorporates a lock weight feature which stores the last weight reading when the unit is turned off and can be used where standard indicators are too large and cumbersome.



Detecto also provides kit adapters for other manufacturers' patient lifts.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
PL400	400 lb x 0.2 lb / 180 kg x 0.1 kg	4 lb / 2 kg	+H925PL40000
PL600	600 lb x 0.2 lb / 270 kg x 0.1 kg	Same	+H925PL60000/

**Display:** 0.75"/19 mm high-contrast LCD with annunciator for lb/kg, zero, low battery and display lock.

**Size:** 4.125" W x 2.125" D x 4" H / 105 mm W x 54 mm D x 102 mm H (center of eye to center of eye; 5"/127 mm overall)

## Mechanical Patient Lift Scale

Designed to be installed between the boom and sling of a patient lift, this ruggedly-built general utility scale features an extra large, 7"/18 cm diameter, single revolution, aluminum dial with black lettering and durable heavy cast iron protective housing to protect precision parts from dust.



The 11S400H general utility scale can work for multiple purposes and bulk weighings. It will weigh large or small quantities with speed and accuracy.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
11S400H	400 lb x 1 lb	12 lb / 5 kg	+H92511S400H0\$

**Height:** 24.75"/63 cm



## Digital In-Bed Scale

Designed for fast, accurate weighing, the IB400 scale features a flame-retardant, antibacterial, self-deodorizing stretcher which is placed under the patient and hydraulically lifted inches from the bed. The tare function lets you easily subtract the weight of bedding. One nurse can quickly gather data from an entire floor, without wasted motion or patient discomfort! Safety features include locking casters and a lockable base widening stance for stability. Battery operation increases the portability of these in-bed scales.

**Under Bed Clearance:** 4.8"/12 cm high

**Dimensions:** 53"H x 50" L x 25.25"W/1.3 m H x 1.2 m L x 64 cm W

**Stretcher:** 6'/1.8m long, Thermoplastic Sure-Chek® fabric

**Adjustable Weighing Arm:** 25.75" to 72.25" / 64 cm to 1.9 m high

**758C** Please see pages 8 and 9 for additional weight display features.

MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	HIBCC UPN
IB400	400 lb x 0.1 lb / 180 kg x 0.1 kg	290 lb / 132 kg	+H925IB400L
0046-C065-08	4' / 1.2 m pediatric stretcher - Sure-Chek® 20 fabric	4 lb / 1.8 kg	+H9250046C065080T
0046-C007-08	6' / 1.8 m adult stretcher - Sure-Chek® 20 fabric	4 lb / 1.8 kg	+H9250046C007080P
728R121	AC Adapter	1 lb / 453 g	+H925728R1210-



## Heavy-Capacity In-Bed Scale

The IB600 in-bed scale lets you easily weigh patients who are confined to their bed and is ideal for intensive care, surgical recovery and geriatric units. Heavy-duty, yet transportable, these self-contained scales easily maneuver under beds and have a stretcher holder, hydraulic lift and six foot stretcher made of flame retardant, antibacterial, self-deodorizing Thermoplastic Sure-Chek® fabric. The sturdy hoop assembly support patients securely and weight can be taken even if the patient is not perfectly centered on the stretcher.

**Under Bed Clearance:** 4.8"/12 cm high

**Dimensions:** 60" H x 65.9" L x 31.5" W/152 cm H x 167 cm L x 80 cm W


**Stretcher:** 6'/1.8m long, Thermoplastic Sure-Chek® fabric

**Adjustable Weighing Arm:** 25.75" to 72.25" / 64 cm to 1.9 m high

**758C** Please see pages 8 and 9 for additional weight display features.

MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	HIBCC UPN
IB600	600 lb x 0.2 lb / 272 kg x 0.1 kg	390 lb / 177 kg	+H925IB6000N
0046-C247-08	6' / 1.8 m adult stretcher - Sure-Chek® 44XL fabric	4 lb / 1.8 kg	+H9250046C247080V
728R121	AC Adapter	1 lb / 453 g	+H925728R1210-





## Digital Baby Scale

Years of experience have gone into creating the latest in accurate, dependable infant scales... Detecto's 6745. Designed to be used with the utmost ease, this scale can weigh even the most active baby.

With step-by-step instructions right on the keypad, there's never any question about what to do next. The 6745 has a lock-in weight feature which compensates for typical newborn movement. When weight stabilizes, it is "locked in" and displayed. The infant can be removed and its weight is retained. Features battery or AC operation and built-in measuring tape.

Optional label printer (Model P220 pictured left) provides documentation of baby's weight for transfer to medical record. The 6745 features serial output for use with a PC or printer.



MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
6745	30 lb x 0.1 oz / 15 kg x 0.005 kg	25 lb / 11 kg	+H92567450A
6800-1006	AC Adapter	1 lb / 453 g	+H9256800100609

**Tray Size:** 28" L x 14" W / 71 cm L x 36 cm W

**Power Source:** 6 "C" cell batteries or universal AC adapter

**Display:** 6-digit, 7-segment 1.0"/25 mm high transfective LCD

## Digital Tot Weigher

Infants readily accept the inclined seating of Detecto's digital tot weigher scale. With a soft foam, padded seat that is removable for easy cleaning, pound and kilogram readings, and heavy-duty base and understructure, the battery-powered scale has a lot to offer. The LCD display features auto zero, lock-release and auto shutoff. The digital head can rotate 90 degrees to either side. A heavy steel base and precision lever system add to durability.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
8432-CH	44 lb x 0.05 lb / 20 kg x 0.02 kg	33 lb / 15 kg	+H9258432CH0Y
728R121	AC Adapter	1 lb / 453 g	+H925728R1210-

**Dimensions:** 20.25" H x 25" W x 22" D / 51 cm H x 64 cm W x 56 cm D

**758C** Please see pages 8 and 9 for additional weight display features.



All Detecto Baby Scales are engineered with the active baby in mind and built with the uncompromising quality you expect from Detecto.

## Digital Baby Scale

An easy-to-clean polystyrene tray cradles babies securely and comfortably on these dependable, portable scales. The 8435 features pounds or kilograms shown at the push of a button and a high-contrast LCD display with auto zero, auto shutoff, and pushbutton tare. A light, attractive scale, the portability is increased by the use of battery power with 6 "C" size alkaline batteries.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
8435	130 lb x 0.1 lb / 59 kg x 0.05 kg	33 lb / 15 kg	+H925843508
728R121	AC Adapter	1 lb / 453 g	+H925728R1210-

**Tray Size:** 22" L x 14.75" W x 4.5" D / 56 cm L x 37 cm W x 11 cm D

**758C** Please see pages 8 and 9 for additional weight display features.



Optional black carrying case



## Digital Baby and Toddler Scale

Detecto's 8440 digital baby and toddler scale provides accurate, safe weighing of infants and features selectable weight units, lb-oz or kilograms, display hold, time and date clock function, and a memory function. Compact, battery-powered and portable, the 8440 is perfect for visiting nurses, home or wherever space is limited. Remove the tray for double use as a toddler scale.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
8440	44 lb x 0.5 oz / 20 kg x 10 g	8 lb / 3.6 kg	+H925844004
8440-CASE	Carrying Case	1 lb / 453 g	+H9258440CASE0P
6800-1037	AC Adapter	1 lb / 453 g	+H925680010370D

**Tray Size:** 20.5" L x 10.75" W / 52 cm L x 27 cm W

**Platform Size:** 9.5" L x 6.5" W / 24 cm L x 17 cm W

**Power Source:** 6V DC (4 AA batteries or optional AC adapter)

**Display:** 4 3/4 digits LCD 1.0" / 25 mm high



Optional black carrying case built to scale size and with a handle protects the scale for easy transport.

## Digital Low-Profile Scale

The platform, base and padded carrying handles of this lightweight scale are incorporated into one complete unit making it easy to transport from place to place. Padded side rails and handle covers are slightly contoured ensuring that the baby will be cradled securely while being weighed. Measure the infant's length in inches or centimeters with the built-in measuring tape.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
8450	44 lb x 0.02 lb / 20 kg x 0.01 kg / 704 oz x 0.5 oz	8 lb / 3.6 kg	+H925845005
8450-CASE	Carrying Case	1 lb / 453 g	+H9258450CASE0Q
6800-1039	AC Adapter	1 lb / 453 g	+H925680010390F

**Dimensions With Handle:** 24.5" L x 13.7" W x 2" H / 62 cm L x 35 cm W x 5 cm H

**Power Source:** 9V 100mA DC adapter / 9V battery

**Display:** 1.0" / 25 mm high LCD with 4 1/2 active digits



## Mechanical Infant Scales



This sturdy, compact scale incorporates springless balance beam construction. The white metal tray holds infants comfortably, while the beam is easy to read with blue graduations and numerals on white background. Comes in your choice of pounds or kilograms.

MODEL	CAPACITY	HIBCC UPN
243	20 lb x 2 oz	+H9252430/
2431	10 kg x 50 g	+H92524310+
2441	16 kg x 100 g	+H92524410%

**Overall Size:** 10.5" H x 21" W x 19" D / 27 cm H x 53 cm W x 48 cm D

**Tray Size:** 2.5" H x 11" W x 19" D / 6 cm H x 28 cm W x 48 cm D

**Shipping Weight:** 21 lb/10 kg

## Mechanical Infant Scales



This low-profile beam style scale features sturdy, compact construction with an easy-to-read balance beam and a white epoxy metal tray. Comes in your choice of pounds or kilograms. Perfect for hospitals, pediatrician's offices, clinics, or the home nursery.

MODEL	CAPACITY	HIBCC UPN
253	41 lb x 0.25 oz	+H9252530+
2531	20.5 kg x 10 g	+H92525310%

**Overall Size:** 6.75" H x 24" W x 13.75" D / 17 cm H x 61 cm W x 35 cm D

**Tray Size:** 2.75" H x 24" W x 11.5" D / 7 cm H x 61 cm W x 29 cm D

**Shipping Weight:** 30 lb/14 kg

## Suspended Baby Scale

*Waterproof weighing trousers are attached to a heavy-duty zinc-plated 4"/10 cm S-hook providing a comfortable suspended sling seat for weighing babies.*

*(Model MCS25KGNT shown to the right)*

Perfect for doctors and nurses working in remote locations, this baby scale is lightweight and portable. It's designed to withstand rugged conditions and remain accurate through years of continuous service. The 8"/20 cm diameter shatter-proof dial features a white face with black graduations and numerals for high contrast readouts.



MODEL	CAPACITY	HIBCC UPN
MCS25KGNT	25 kg x 100 g	+H925MCS25KGNT0G
MCS25KGN	No sling seat	+H925MCS25KGN0U

**Shipping Weight:** 5 lb/2 kg

## Mechanical Tot Weigher

*Features an easy-to-read, die cast beam, heavy-duty welded steel construction, and polystyrene tray.*



Infants readily accept the inclined seating of Detecto's mechanical tot weigher scales. With a soft foam, padded seat that is removable for easy cleaning, pound and kilogram readings, and heavy-duty base and understructure, the mechanical beam scale has a lot to offer. The die-cast beam can also be read from either side for added convenience.

MODEL	CAPACITY	HIBCC UPN
459-CH	40 lb x 0.5 oz / 17.5 kg x 0.01 kg	+H925459CH0Z

**Overall Size:** 27" H x 22" W x 21" D / 69 cm H x 56 cm W x 53 cm D

**Shipping Weight:** 38 lb/17 kg





**Detecto baby scales  
are designed to  
weigh quickly and  
accurately**

**while  
cradling  
babies in  
comfort and  
safety.**

### Mechanical Pediatric Scales

Easy-to-clean, washable polystyrene trays cradle babies securely on these dependable, portable scales. With three models, the 450, 451, and 459 give you a choice of pounds or kilograms or both. Light and attractive scales, these models features a heavy-duty, rust-resistant understructure and dual-reading, die-cast beams.

*These scales are engineered with the active baby in mind and are built with the uncompromising quality you expect from Detecto.*

MODEL	CAPACITY	HIBCC UPN
450	130 lb x 1 oz	+H9254500/
451	65 kg x 20 g	+H9254510+
459	40 lb x 0.5 oz / 17.5 kg x 10 g	+H92545906

**Overall Size:** 27" H x 22" W x 21" D / 69 cm H x 56 cm W x 53 cm D  
**Tray Size:** 4.5" H x 22" W x 14.75" D / 11 cm H x 56 cm W x 37 cm D  
**Shipping Weight:** 33 lb / 15 kg



## Petite Top-Loading Portion Scales



Model PT-1



Model PT-5

Model PT-25



Model PT-25SR

**Improve your efficiency with a reliable, cost-effective Top Loading Dial Scale from Detecto - the perfect solution to limited space on a limited budget.**



Model PT-2R

Whatever your need in a top-loading dial scale, Detecto has a model to handle the job. The PT Series comes in a variety of capacities listed below. Sturdy construction, stability, convenient viewing angle, temperature compensation for dependable accuracy in environments with fluctuating temperatures and easy readability make these the petite top loaders of choice.

MODEL	CAPACITY	DIAL	FINISH	HIBCC UPN
PT-1	16 oz x 0.25 oz	Fixed	Enamel	+H925PT100
PT-2	32 oz x 0.25 oz	Fixed	Enamel	+H925PT201
PT-5	5 lb x 0.5 oz	Fixed	Enamel	+H925PT504
PT-25	25 lb x 0.125 lb	Fixed	Enamel	+H925PT2506
PT-2R	32 oz x 0.25 oz	Rotating	Enamel	+H925PTR0S
PT-2-SR	32 oz x 0.25 oz	Rotating	Stainless steel	+H925PT2SR0D
PT-5R	5 lb x 0.5 oz	Rotating	Enamel	+H925PT5R0V
PT-5SR	5 lb x 0.5 oz	Rotating	Stainless steel	+H925PT5SR0G
PT-10SR	10 lb x 0.25 oz	Rotating	Stainless steel	+H925PT10SR0C
PT-25R	25 lb x 0.125 lb	Rotating	Enamel	+H925PT25R0X
PT-25SR	25 lb x 0.125 lb	Rotating	Stainless steel	+H925PT25SR0I
PT-500RK	500 g x 2 g	Rotating	Enamel	+H925PT500RK08
PT-500SRK	500 g x 2 g	Rotating	Stainless steel	+H925PT500SRK0-
PT-1000RK	1000 g x 5 g	Rotating	Enamel	+H925PT1000RK04
PT-1000SRK	1000 g x 5 g	Rotating	Stainless steel	+H925PT1000SRK0W

**Overall Size:** 7.5" H x 5.25" W x 7.25" D / 19 cm H x 13 cm W x 18 cm D

**Dial Size:** 6" / 15 cm diameter

**Platform:** 7.875" W x 5.875" D / 20 cm W x 15 cm D stainless steel

**Shipping Weight:** 5 lb/2 kg

## Dual-Reading Lbs/Kgs Top Loading Portion Scales

This dual-reading top loader series comes in a variety of capacities listed below which show simultaneous readings of pounds and kilograms. An easy-to-clean enamel finish, sturdy construction, stability, convenient viewing angle, and easy readability make these attractive top loaders an ideal choice for your weighing needs.

MODEL	CAPACITY	DIAL	FINISH	HIBCC UPN
T1KP	2.2 lb x 0.25 oz / 1 kg x 5 g	Fixed	Enamel	+H925T1KP0K
T2KP	4.3 lb x 0.5 oz / 2 kg x 10 g	Fixed	Enamel	+H925T2KP0L

Add letter "D" to model for optional air dashpot

**Overall Size:** 10.5" H x 8.5" W x 10.25" D / 27 cm H x 22 cm W x 26 cm D

**Dial:** 8" / 20 cm diameter fixed

**Platform:** 9" / 23 cm square stainless steel

**Shipping Weight:** 10 lb/4.5 kg

**Additional Capacities Available**



Model T1KP

## Electronic Digital Portion Scales



AC or battery power

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
PS-5A	70 oz x 0.1 oz / 1,998 g x 2 g	4 lb / 1.8 kg	+H925PS5A0D

**Display:** 0.5"/13 mm high LCD  
**Overall Size:** 2.75"H x 7"W x 7"D/7 cm H x 18 cm W x 18 cm D  
**Platform Size:** 6.75"W x 5.25"D/17 cm W x 13 cm D



AC or battery power

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
PS-6A	70 oz x 0.25 oz	4 lb / 1.8 kg	+H925PS6A0E

**Display:** 0.5"/13 mm high LCD  
**Overall Size:** 2.75"H x 7"W x 7"D/7 cm H x 18 cm W x 18 cm D  
**Platform Size:** 6.75"W x 5.25"D/17 cm W x 13 cm D



AC or battery power

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
PS-7	7 lb x 0.1 oz / 112 oz x 0.1 oz / 112 oz x 1/8 oz / 3000 g x 1 g / 7 lb x 0.005 lb	4 lb / 1.8 kg	+H925PS705

*Features the ability to disable different units of measure.*

**Display:** 5-digit, 0.8" x 0.3" characters with fractions LCD  
**Overall Size:** 2.44"H x 8.03"W x 7.87"D / 6 cm H x 20 cm W x 20 cm D  
**Platform Size:** 8.02"W x 4.96"D / 20 cm W x 13 cm D



AC power or built-in rechargeable battery

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
PS-11	11 lb x 0.1 oz / 176 oz x 0.1 oz / 176 oz x 1/4 oz / 5000 g x 2 g / 11 lb x 0.005 lb	6 lb / 2.7 kg	+H925PS1100

*Features the ability to disable different units of measure.*

**Display:** 5-digit, 0.8" x 0.3" characters with fractions LCD  
**Overall Size:** 2.3"H x 7.25"W x 9.5"D / 6 cm H x 18 cm W x 24 cm D  
**Platform Size:** 6.89"W x 6.5"D / 18 cm W x 17 cm D



AC power



Cert. No. 95-087A1



MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
AP-6	99.95 oz x 0.05 oz	5 lb / 2.3 kg	+H925AP60T
AP-8	7.998 lb x 0.002 lb	5 lb / 2.3 kg	+H925AP80V
AP-10	9.995 lb x 0.005 lb	5 lb / 2.3 kg	+H925AP1000
AP-20	19.99 lb x 0.01 lb	5 lb / 2.3 kg	+H925AP200P
AP-4K	3999 g x 1 g	5 lb / 2.3 kg	+H925AP4K04

**Display:** 0.5"/13 mm high LED  
**Overall Size:** 2.75"H x 7.5"W x 7"D/7 cm H x 19 cm W x 18 cm D  
**Platform Size:** 6.75"W x 5.25"D/17 cm W x 13 cm D



Optional Commodity Scoop - Model 285R31



## Digital General Purpose Scales

Uses for these lightweight, portable scales are almost limitless. With detachable indicators and built-in carrying handles, they go with you anywhere. Their large, easy-to-clean platforms (2" H x 18" W x 14" D/6 cm H x 46 cm W x 36 cm D) feature slip-proof mats and non-skid plastic feet for stability. The digital displays can be mounted on a table top or wall. Power is provided by 6 "C" size batteries which increase the portability of these compact scales, and if you need "legal for trade" certification choose the GP-400-204.

*The perfect scale for those who need a lightweight, portable floor scale.*

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
<b>GP-400-758C</b>	400 lb x 0.2 lb / 200 kg x 0.1 kg	31 lb / 14 kg	+H925GP400758COM
<b>728R121</b>	AC Adapter	1 lb / 453 g	+H925728R1210-

**Display:** 0.5"/12.7 mm high LCD

**758C** Please see pages 8 and 9 for additional weight display features.

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
<b>GP-400-204</b>	400 lb x 0.2 lb / 200 kg x 0.1 kg	28 lb / 13 kg	+H925GP4002040\$

**Display:** 1"/25 mm high LCD - Features include automatic zero, keypad tare, motion detection, serial printer port, auto power off and selectable units.



Cert. No.  
204 Display: 02-016A1  
GP-400 Base: 94-098



*Featuring removable stainless steel trays for easy cleaning and the compact size fits in any space.*

## Digital Wet Diaper / Lap Sponge Scales

Detecto packs a lot of functionality into these compact wet diaper/lap sponge scales, designed to answer your every need in measuring fluid output. Stainless steel construction makes the removable tray a snap to clean - a major consideration in the nursery where repeated use is the rule. Time is also precious around newborns, and this scale helps you make the most of it with an instantaneous display of 0.5"/13mm high readouts. Handy pushbutton tare simplifies weight determinations for adult incontinence and infant diapers. An AC adapter comes with both scales.



MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
<b>AP-4KD</b>	4,000 g x 1 g	5 lb / 2.3 kg	+H925AP4KD0H

**Display:** 4 digit, 0.5"/13 mm high red LED

**Overall Size:** 2.75" H x 7.5" W x 7" D/7 cm H x 19 cm W x 18 cm D

**Tray Size:** 2" H x 9" W x 6" D/5 cm H x 23 cm W x 15 cm D

**Construction:** Stainless steel scale with stainless steel tray

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
<b>PS5A-2KD</b>	70 oz x 0.1 oz / 1,998 g x 2 g	5 lb / 2.3 kg	+H925PS52KD0


**Display:** 4 digit, 0.5"/13 mm high LCD

**Overall Size:** 2.75" H x 7.5" W x 7" D/7 cm H x 19 cm W x 18 cm D

**Tray Size:** 2" H x 9" W x 6" D/5 cm H x 23 cm W x 15 cm D

**Construction:** Scale is metal with baked enamel finish and stainless steel tray

# SPECIALTY SCALES



Optional black carrying case with handle protects the scale for easy transport.

## Digital Visiting Nurse Scale

Accurate and reliable, Detecto's economical DR400C platform scale is lightweight and portable, making it perfect for mobile clinics and home care nurses. The remote indicator features a large 1 1/25 mm high display, units conversion, and tare. The unit has a slip-resistant mat to ensure patient safety when getting on and off the scale. The DR400C is battery powered, so you can take it anywhere you need it. The keypad features four keys: LB/KG, TARE/HOLD, ON, and OFF.

MODEL	CAPACITY	HIBCC UPN
DR400C	400 lb x 0.5 lb / 181 kg x 0.2 kg	+H925DR400C01
DR400C-CASE	carrying case	+H925DR400CCASE0M

**Display:** 4-digit, 7-segment, 1 1/25mm high LCD  
**Power:** 6 "AA" alkaline batteries or 115 volt AC adapter (included)  
**Platform Size:** 12" x 12" / 31 cm x 31 cm  
**Shipping Weight:** 13 lb/6 kg



Cert. No. 88-110



## Autopsy Scale

The extra-large, recessed 14.5" (37cm) double dial is easily readable from both sides and is lithographed on metal with chrome-pated sashes and stainless steel bands. Stainless steel housing and a stainless steel commodity pan enhance the clean, attractive appearance. The pinion bridge is fastened on both ends to heavy posts, insuring perfectly straight center action for precise weighing. Long term accuracy is guaranteed by Detecto's use of Thermolastic springs which are not affected by extreme temperature variations.

MODEL	CAPACITY	HIBCC UPN
T3530A	32 lb - 10 lb x 1 oz	+H925T3530A0

**Revolutions:** 3.2  
**Pan:** 15" (38cm) round stainless steel  
**Shipping Weight:** 33 lb/15 kg



## Chiropractor Package - Bilateral Weight Scales

Detecto's MD250PKG Special Chiropractor Package comes with two model MD250 250 lb capacity scales and a 40"/1 m lock/release rod, giving you everything you need for efficient and portable bilateral weighing. The kit is perfect for chiropractor's offices to check if a patient's weight is evenly distributed. It's also useful in spinal screenings, in-office postural examinations, and health fairs. The size of a small briefcase and incredibly compact and light, the MD250 portable scales are built with sturdy steel construction for durability.

MODEL	CAPACITY	HIBCC UPN
MD250PKG	250 lb x 1 lb per scale	+H925MD250PKG05

**Platform Size:** 13"W x 10.5"D/33 cm W x 27 cm D  
**Shipping Weight:** 21 lb/10 kg



Placing two MD250 scales side by side allows bilateral weighing to test for irregularities in spinal conditions. This can be a sign of chiropractic problems. The MD250PKG kit enables a person to distribute their weight evenly, and then lock the weight in place to view after they step off the scale. Chiropractors and nurses may use the MD250PKG to educate their patients about spinal problems and how to correct their stance and body position.



## Scales for Veterinarians, Pet Stores, Kennels or Labs

### Medium Capacity Digital Vet Scale

This portable, compact-sized scale with a remote weight display is the ideal scale for small animals. Its scale base can be positioned up to 8 feet away from the display. The scale and display are battery powered, and have a power-saving automatic sleep mode. The scale's medium base size allows it to be used on the floor or tabletop and its light weight makes it ultra portable. The VET50 comes with the rubber mat pictured to the right.


**Dimensions:** 3" H x 14" W x 12" D / 8 cm H x 36 cm W x 30 cm D

**758C** Please see pages 8 and 9 for additional weight display features.



MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	HIBCC UPN
VET50	50 lb x 0.02 lb / 20 kg x 0.01 kg	15 lb / 7 kg	+H925VET5000O
728R121	AC Adapter	1 lb / 453 g	+H925728R1210-

The animal's weight can be retained after it is removed from the scale. The scale and display are battery powered with an automatic sleep mode to conserve battery power when not in use. The VET400 comes with a 8'/2.5m coiled cable.



### High Capacity Digital Vet Scale

The VET400 is the perfect scale for anyone handling medium to large size animals. The large, low-profile platform makes it easy for animals to step onto the floor scale without any hesitancy, and an optional rubber mat is also available. The removable stainless steel platform makes cleanup fast and easy. Its scale base can be positioned up to 8'/2.5m away from the display due to the coiled cable. The indicator features an adjustable mounting bracket for either desk or wall mount convenience. Automatic zero tracking maintains the scale at zero while the Lock/Release feature retains the displayed weight after the animal is removed.

**Dimensions:** 1.75" H x 42" W x 22" D / 44 cm H x 107 cm W x 56 cm D

**758C** Please see pages 8 and 9 for additional weight display features.

MODEL	CAPACITY / DESCRIPTION	SHIPPING WEIGHT	HIBCC UPN
VET400	400 lb x 0.2 lb / 200 kg x 0.1 kg	76 lb / 34 kg	+H925VET4000N
VET-MAT	Rubber Mat	1 lb / 453 g	+H925VETMAT0
728R121	AC Adapter	1 lb / 453 g	+H925728R1210-



# EU-ONLY SCALES

## Health Care Scales Around the Globe

## Detecto is Your WORLDWIDE SCALE PROVIDER

### Waist-High Digital Physician Scale European-Only Models

Detecto's EU522 is designed for use in European countries and features a stainless steel casing around the 758CSV digital weight indicator. This waist-high digital physician scale is light, but rugged and comes in white with black trim. It is also available with a 92 cm to 198 cm height rod - model EU522HR. The scale features "at-a-glance" display of the weight with the 758CSV digital indicator and a slip-resistant base cover for patient safety.



MODEL	CAPACITY	HEIGHT ROD 76 - 198 cm	HIBCC UPN
EU522	200 kg x 0.1 kg		+H925EU5220+
EU522HR	200 kg x 0.1 kg	•	+H925EU522HR0%

Scale Height: 95 cm  
Platform Size: 26 cm x 34 cm



**758C** Please see pages 8 and 9 for additional weight display features.

# WASTE RECEPTACLES

**Easy to Clean  
and Featuring  
Unitized  
Construction**



- **FREE Bio-Hazard and Infectious Waste Adhesive Labels (Meets OSHA Labeling Requirements)**
- **Bag Securing Mechanism on Wall Mount Hanging Models**



*Featuring a self-closing lid which also lifts off easily to remove the disposable bag*



*Lift bail mechanism and drop in bag.*



*Fold top of bag over edges of bail to secure.*



*Press bail mechanism back into place.*



## CLEAN UP IS EASY

Not only do the stainless steel and epoxy polyester finishes on Detecto's waste receptacles allow for quick, wipe-down cleaning, the H models can be permanently positioned just off the ground for easy sweeping and mopping underneath and keeping debris from collecting around the base. Mounting brackets come with all the H models. To remove them from the wall, simply slide them up and out of their groove.


## Self-Closing Lids on Wall Mount Hanging Models



Model  
H-60S

Model  
H-90

*Hemmed, exposed edges for safety*



Model  
SWC-48

Model  
SWC-64

Model  
SWC-32

## Wall Mount Hanging Waste Receptacles

MODEL	CAPACITY	DIMENSIONS	HIBCC UPN
<b>H-60S</b> Stainless Steel	60 quart (15 gallon)	33" H x 18.25" W x 7" D / 84 cm H x 46 cm W x 17 cm D	+H925H60S0\$
<b>H-60</b> White Epoxy	60 quart (15 gallon)	33" H x 18.25" W x 7" D / 84 cm H x 46 cm W x 17 cm D	+H925H600B
<b>H-90S</b> Stainless Steel	90 quart (22.5 gallon)	37.25" H x 18" W x 9.25" D / 95 cm H x 46 cm W x 23 cm D	+H925H90S0%
<b>H-90</b> White Epoxy	90 quart (22.5 gallon)	37.25" H x 18" W x 9.25" D / 95 cm H x 46 cm W x 23 cm D	+H925H900E

**Shipping Weights:** H-60/H-60S - 22.5 lb / 10 kg  
H-90/H-90S - 29.25 lb / 13 kg

## Standard Stainless Steel Waste Receptacles

MODEL	CAPACITY	DIMENSIONS	HIBCC UPN
<b>SWC-32</b> Stainless Steel	32 quart (8 gallon)	20.75" H x 10" W x 10" D / 53 cm H x 25 cm W x 25 cm D	+H925SWC320M
<b>SWC-48</b> Stainless Steel	48 quart (12 gallon)	23.25" H x 11.5" W x 11.5" D / 59 cm H x 29 cm W x 29 cm D	+H925SWC480T
<b>SWC-64</b> Stainless Steel	64 quart (16 gallon)	24" H x 17" W x 10" D / 61 cm H x 43 cm W x 24 cm D	+H925SWC640R

**Shipping Weights:** SWC-32 - 11 lb / 5 kg  
SWC-48 - 13 lb / 5.9 kg  
SWC-64 - 16 lb / 7.3 kg

## Detecto Step-On Can Waste Receptacles

Named for their rugged toughness, Detecto Step-On Cans are perfect for hospitals, doctors' offices, patients' rooms, and laboratory settings. They come in a variety of five different sizes and capacities and two different materials listed below. The cans are flame retardant, have a self-closing lid for sanitation, epoxy polyester or stainless steel finish for easy cleaning, and full width hinges and unitized construction for long-term use. Detecto also includes free bio-hazard and infectious waste adhesive labels to meet OSHA labelling requirements.



Model P-32



Model P-32R



Model C-32

Easy to clean plastic liners are ideal for use where disposable bags are not desired. (Model PL-32 Pictured)



## Baked Epoxy Steel Step-On Cans

MODEL	CAPACITY	DIMENSIONS	SHIPPING WEIGHT	HIBCC UPN
<b>P-16</b> <i>(white)</i>	16 quart (4 gallon)	13" H x 11.75" W x 13" D / 33 cm H x 30 cm W x 33 cm D	12 lb / 5 kg	+H925P160K
<b>P-24</b> <i>(white)</i>	24 quart (6 gallon)	16" H x 11.75" W x 13" D / 41 cm H x 30 cm W x 33 cm D	14 lb / 6 kg	+H925P240J
<b>P-32</b> <i>(white)</i>	32 quart (8 gallon)	21" H x 11.75" W x 13" D / 53 cm H x 30 cm W x 33 cm D	16 lb / 7 kg	+H925P320I
<b>P-48</b> <i>(white)</i>	48 quart (12 gallon)	23.5" H x 13" W x 14" D / 60 cm H x 33 cm W x 36 cm D	20 lb / 9 kg	+H925P480P
<b>P-100</b> <i>(white)</i>	100 quart (25 gallon)	27.5" H x 16.75" W x 17.75" D / 70 cm H x 43 cm W x 50 cm D	31 lb / 14 kg	+H925P1000E
<b>P-16R</b> <i>(red)</i>	16 quart (4 gallon)	13" H x 11.75" W x 13" D / 33 cm H x 30 cm W x 33 cm D	12 lb / 5 kg	+H925P16R04
<b>P-24R</b> <i>(red)</i>	24 quart (6 gallon)	16" H x 11.75" W x 13" D / 41 cm H x 30 cm W x 33 cm D	14 lb / 6 kg	+H925P24R03
<b>P-32R</b> <i>(red)</i>	32 quart (8 gallon)	21" H x 11.75" W x 13" D / 53 cm H x 30 cm W x 33 cm D	16 lb / 7 kg	+H925P32R02
<b>P-48R</b> <i>(red)</i>	48 quart (12 gallon)	23.5" H x 13" W x 14" D / 60 cm H x 33 cm W x 36 cm D	20 lb / 9 kg	+H925P48R09
<b>P-100R</b> <i>(red)</i>	100 quart (25 gallon)	27.5" H x 16.75" W x 17.75" D / 70 cm H x 43 cm W x 50 cm D	31 lb / 14 kg	+H925P100R0+

## Stainless Steel Step-On Cans

MODEL	CAPACITY	DIMENSIONS	SHIPPING WEIGHT	HIBCC UPN
<b>C-16</b>	16 quart (4 gallon)	13" H x 11.75" W x 13" D / 33 cm H x 30 cm W x 33 cm D	12 lb / 5 kg	+H925C1607
<b>C-24</b>	24 quart (6 gallon)	16" H x 11.75" W x 13" D / 41 cm H x 30 cm W x 33 cm D	14 lb / 6 kg	+H925C2406
<b>C-32</b>	32 quart (8 gallon)	21" H x 11.75" W x 13" D / 53 cm H x 30 cm W x 33 cm D	16 lb / 7 kg	+H925C3205
<b>C-48</b>	48 quart (12 gallon)	23.5" H x 13" W x 14" D / 60 cm H x 33 cm W x 36 cm D	20 lb / 9 kg	+H925C480C
<b>C-100</b>	100 quart (25 gallon)	27.5" H x 16.75" W x 17.75" D / 70 cm H x 43 cm W x 50 cm D	31 lb / 14 kg	+H925C10001

## Plastic Liners

MODEL	CAPACITY	SHIPPING WEIGHT	HIBCC UPN
<b>PL-16</b>	16 quart (4 gallon)	2.75 lb / 1.2 kg	+H925PL160+
<b>PL-24</b>	24 quart (6 gallon)	3.5 lb / 1.6 kg	+H925PL2401
<b>PL-32</b>	32 quart (8 gallon)	4.5 lb / 2 kg	+H925PL320\$



## Wire Frame Glove Box Holders



Conserve counter space with Detecto's Universal Glove Box Holders. Available in two sizes, the standard and large glove box holders firmly hold two boxes upright or one box lying down. The all-steel construction with white powder coat finish carries a Detecto lifetime guarantee. The open design allows you to see what size or type of glove is being dispensed. The holders accommodate most glove boxes and are universal enough to be used for tissue holders where counter or shelf space is conservative. The units install in seconds with the included mounting hardware.

MODEL	DIMENSIONS	HIBCC UPN
<b>HOLDIT</b> Standard Size	4.75" H x 10.75" W x 3.125" D / 12 cm H x 27 cm W x 8 cm D	+H925HOLDIT00
<b>HOLDIT-L</b> Large Size	4.75" H x 11.125" W x 3.5" D / 12 cm H x 28 cm W x 9 cm D	+H925HOLDITL02



*Holds one box lying down snugly and accommodates most gloves boxes.*



*Universal enough to be used for tissue holders where counter or shelf space is conservative.*




*The HOLDIT Universal Glove Box Holders stores two boxes upright. The standard holders firmly hold two boxes upright or one box lying down.*

## Full Frame Glove Box Holders

Detecto's model GH Glove Box Holders are available in three different sizes. Fit one glove box in the small GH1, two boxes side by side in the GH2, and three boxes side by side in the GH3. The all-steel construction with white powder coat finish carries a Detecto lifetime guarantee. The units install in seconds via screwholes and the GH1 also features a snap-on clip in back. The open design allows you to see what size or type of glove is being dispensed.

MODEL	DIMENSIONS	HIBCC UPN
<b>GH1</b> Holds 1 Box	10.5" H x 6.5" W x 4.25" D / 27 cm H x 17 cm W x 11 cm D	+H925GH10M
<b>GH2</b> Holds 2 Boxes	10" H x 12" W x 4" D / 25 cm H x 30 cm W x 10 cm D	+H925GH20N
<b>GH3</b> Holds 3 Boxes	10" H x 18" W x 4" D / 25 cm H x 46 cm W x 10 cm D	+H925GH30O



## MODEL

0046-C007-08	Page 17	8430	Page 10	PT-1000RK	Page 22
0046-C065-08	Page 17	8430S	Page 4	PT-1000SRK	Page 22
0046-C247-08	Page 17	8432-CH	Page 18	PT-2	Page 22
057	Page 11	8435	Page 19	PT-2R	Page 22
0571	Page 11	8437	Page 10	PT-25	Page 22
059	Page 11	8437S	Page 4	PT-25R	Page 22
0591	Page 11	8440	Page 19	PT-255R	Page 22
080	Page 11	8440-CASE	Page 19	PT-5	Page 22
080KG	Page 11	8450	Page 19	PT-5R	Page 22
11S400H	Page 16	8450-CASE	Page 19	PT-55R	Page 22
2371	Page 5	AP-6	Page 23	PT-500RK	Page 22
2371S	Page 4	AP-8	Page 23	SWC-32	Page 28
2381	Page 5	AP-10	Page 23	SWC-48	Page 28
2391	Page 5	AP-20	Page 23	SWC-64	Page 28
2391S	Page 4	AP-4K	Page 23	T1KP	Page 22
243	Page 20	AP-4KD	Page 24	T2KP	Page 22
2431	Page 20	C-16	Page 29	T3530A	Page 25
2441	Page 20	C-24	Page 29	VET50	Page 26
2491	Page 5	C-16	Page 29	VET400	Page 26
253	Page 20	C-32	Page 29	VET-MAT	Page 26
2531	Page 20	C-48	Page 29	WinDDE	Page 9
337	Page 5	C-100	Page 29		
337S	Page 4	CR-500D	Page 13		
338	Page 5	CR-1000D	Page 13		
339	Page 5	D1130	Page 10		
339S	Page 4	D1130KG	Page 10		
349	Page 5	D315	Page 10		
3PHNDPST	Page 5	D315KG	Page 10		
3PHTROD-1	Page 5	DR400C	Page 25		
3PHTROD-3	Page 5	DR400C-CASE	Page 25		
3PHTROD-WM	Page 5	DR400-758C	Page 6		
3PRAMP	Page 12	EU522	Page 27		
3PWHL	Page 5	EU522HR	Page 27		
437	Page 5	FHD-133-II	Page 13		
437S	Page 4	FHD-144-II	Page 13		
439	Page 5	GH1	Page 30		
439S	Page 4	GH2	Page 30		
442	Page 6	GH3	Page 30		
448	Page 5	GP-400-204	Page 24		
449	Page 5	GP-400-758C	Page 24		
450	Page 21	H-60	Page 28		
451	Page 21	H-60S	Page 28		
459	Page 21	H-90	Page 28		
459-CH	Page 20	H-90S	Page 28		
475	Page 14	HOLDIT	Page 30		
4751	Page 14	HOLDIT-L	Page 30		
483	Page 5	IB400	Page 17		
485	Page 12	IB600	Page 17		
4851	Page 12	MCS25KGNT	Page 20		
495	Page 12	MD250PKG	Page 25		
4951	Page 12	P-100	Page 29		
4PHTROD-2	Page 5	P-100R	Page 29		
4PHTROD-3	Page 5	P-16	Page 29		
6027	Page 11	P-16R	Page 29		
6027KG	Page 11	P185	Page 9		
6029	Page 11	P220	Page 18		
6029KG	Page 11	P-24	Page 29		
6437	Page 6	P-24R	Page 29		
6439	Page 6	P-32	Page 29		
6449	Page 6	P-32R	Page 29		
6475	Page 14	P-48	Page 29		
6475K	Page 14	P-48R	Page 29		
6495	Page 12	PL-16	Page 29		
6550	Page 13	PL-24	Page 29		
6550WHLSTP	Page 13	PL-32	Page 29		
6745	Page 18	PL425	Page 16		
6800-1037	Page 18	PL435	Page 16		
6855	Page 6	PL475	Page 16		
6856	Page 6	PL400	Page 16		
6875	Page 14	PL600	Page 16		
6876	Page 7	PS5A-2KD	Page 24		
6868	Page 7	PS-5A	Page 23		
6800-1037	Page 19	PS-6A	Page 23		
6800-1039	Page 19	PS-7	Page 23		
6880	Page 14	PS-11	Page 23		
728R121	Page 6	PT-1	Page 22		
758C	Page 8	PT-105R	Page 22		

## PRODUCT CATEGORY

<b>Acute Care</b>			
6439 Eye-Level Physician Scale		Page 6	
6550 Portable Wheelchair Scale		Page 13	
6745 Baby Scale		Page 18	
6856 Bariatric Scale		Page 7	
6880 Rolling Chair Scale		Page 10	
8450 Baby Scale		Page 19	
IB400 In-Bed Scale		Page 17	
IB600 In-Bed Scale		Page 17	
P-32 Step-On Can		Page 29	
PL475 Patient Lift		Page 16	
<b>Bariatric Care</b>			
6550 Portable Wheelchair Scale		Page 13	
6855 Bariatric Scale		Page 7	
6856 Bariatric Scale		Page 7	
6868 Bariatric Scale		Page 7	
6876 Flip Seat Euro Scale		Page 7	
CR-1000D Wheelchair Scale		Page 13	
FHD-133-II Wheelchair Scale		Page 13	
<b>Home Health Care</b>			
080 Personal Fitness Scale		Page 11	
437 Eye-Level Physician Scale		Page 5	
8440 Baby Scale		Page 19	
D1130 Personal Floor Scale		Page 10	
D315 Personal Floor Scale		Page 10	
DR400C Floor Scale		Page 25	
<b>Long-Term Care</b>			
6475 Chair Scale		Page 14	
6550 Portable Wheelchair Scale		Page 13	
6876 Flip Seat Euro Scale		Page 7	
CR-1000D Wheelchair Scale		Page 13	
IB600 In-Bed Scale		Page 17	
FHD-133-II Wheelchair Scale		Page 13	
<b>Physician Care</b>			
439 Eye-Level Physician Scale		Page 5	
6439 Eye-Level Physician Scale		Page 6	
CR-500D Wheelchair Scale		Page 13	
DR400-758C Portable Floor Scale		Page 6	
P-24 Step-On Can		Page 29	
H-90S Wall-Mount Waste Receptacle		Page 28	
<b>Surgical Care</b>			
6855 Bariatric Scale		Page 7	
6856 Bariatric Scale		Page 7	
6868 Bariatric Scale		Page 7	
AP-4KD Portion Control Scale		Page 24	
PS5-2KD Portion Control Scale		Page 24	
PT-2R Dial Type Portion Scale		Page 22	
<b>Veterinary Care</b>			
GP-400-758C General Purpose Scale		Page 24	
PS5-2KD Digital Scale With Tray		Page 24	
VET400 Veterinary Scale		Page 26	
VET50 Veterinary Scale		Page 26	
<b>EU Class III Approved</b>			
6550KGEU Portable Wheelchair Scale		Page 13	
6855KGEU Bariatric Scale		Page 7	
6856KGEU Bariatric Scale		Page 7	
6868KGEU Bariatric Scale		Page 7	
6875KGEU Premier Chair Scale		Page 14	
6876KGEU Flip Seat Scale		Page 7	
6880KGEU Chair Scale		Page 14	
CR-1000DKGEU Wheelchair Scale		Page 13	
EU522/EU522HR Waist-High Scale		Page 27	
GP-400-204KGEU General Purpose Scale		Page 24	
GP-400-758CKGEU General Purpose Scale		Page 24	
VET400KGEU Veterinary Scale		Page 26	
VET50KGEU Veterinary Scale		Page 26	
<b>EU Class IIII Approved</b>			
8450KGEU Baby Scale		Page 19	

## DETECTO ONLINE

Detecto's entire product line is available for viewing online on our Web site: [www.DetectoScale.com](http://www.DetectoScale.com). Detecto aims to provide our customers with the most up-to-date and comprehensive product information and resources available anytime on the Web.

Go to [www.DetectoScale.com](http://www.DetectoScale.com) for extensive Detecto product information, brochures, specification sheets, a physician scale model comparison chart, demonstration videos, ISO certification resources, company history, and "legal-for-trade" certifications; in addition to this catalog in PDF format, all just a click away.



## OUR MISSION STATEMENT

Detecto is dedicated to the design and manufacture of innovative quality products of exceptional value to a world market. These efforts are monitored and communicated throughout the organization, in order to bring forth continuous improvement and growth for the Detecto family and our customers.

*We will...promote an open environment encouraging creativity, team work, and total employee involvement.*


*We will...maintain a positive commitment to continual quality improvement essential for our customer's satisfaction.*

*We will...seek mutually beneficial long term relationships with our customers, distributors, suppliers, and community.*

*We will...adhere to sound business and environmental practices.*

*We will...strive to attract, develop, fairly reward, and provide secure employment for capable and committed employees.*

*We will...maintain a fair rate of return on investment to ensure the accomplishment of our mission.*



*A Division of Cardinal Scale Manufacturing Co.*

203 E. Daugherty, Webb City, MO 64870 USA  
Ph: 417-673-4631 or 1-800-641-2008 Fax: 417-673-5001  
[www.DetectoScale.com](http://www.DetectoScale.com)

**SOLD BY:**